

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows. This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A method comprising:
configuring a virtualization layer to interface between a host and at least one storage device, wherein the virtualization layer defines at least one virtual volume comprising objects defining a mapping from the at least one virtual volume to data in the at least one storage device;
storing information about a state of the at least one storage device in a virtualization database that is distributed across more than one processor in ~~a~~ the virtualization layer;
establishing a state manager for each ~~of the more than one~~ processors, wherein the state manager monitors the state of the at least one storage device;
issuing a quiescence instruction to the state manager for each ~~of the more than one~~ processors; and
responsive to receiving a quiescence instruction by the state manager,
halting long lived operations underway at the time the quiescence instruction is received; and
completing short term operations comprising operations that are other than long lived operations and that are underway at the time the quiescence instruction is received, ~~and~~
~~halting long term operations underway at the time the quiescence instruction is received.~~
2. (Original) The method of claim 1, further comprising:
issuing the quiescence instruction when a storage device fails.
3. (Original) The method of claim 1, further comprising:
issuing the quiescence instruction when a processor fails.

4. (Currently Amended) The method of claim 1, further comprising:
receiving notification from the state managers when short term operations are completed and long term lived operations are halted.
5. (Currently Amended) The method of claim 1, wherein the short term operations include at least one of [:] a read operation and a write operation.
6. (Currently Amended) The method of claim 1, wherein the long term lived operations include at least one of [:] rebuilding a virtual volume and scrubbing a virtual volume.
7. (Currently Amended) The method of claim 4, further comprising:
reconfiguring the virtualization layer after the notification has been received from the state managers.
8. (Currently Amended) The method of claim 7, wherein ~~the configuring~~ further comprises configuring the virtualization layer does not to interface with a device that has failed.
9. (Currently Amended) A system comprising:
a plurality of storage devices storing data corresponding to a host;
a virtualization layer between the host and the plurality of storage devices, the virtualization layer comprising objects defining a mapping from at least one virtual volume to data in the plurality of storage devices;
a virtualization database storing information about a state of each of the plurality of storage devices;
a plurality of processors, each processor having a state manager that monitors the state of at least one of the plurality of storage devices corresponding to the processor, that receives a quiescence instruction in response to a change in the state of one of the plurality of storage devices, and, responsive to receiving the quiescence

instruction, halts long lived operations underway at the time the quiescence instruction is received and completes short term operations comprising operations that are other than long lived operations and that are underway at the time the quiescence instruction is received, ~~and halts long term operations underway at the time the quiescence instruction is received.~~

10. (Currently Amended) The system of claim 9, ~~further comprising: wherein~~
~~a master~~ one of the plurality of processors comprises a master processor that issues the quiescence instruction in response to a failure of one of the plurality of storage devices.

11. (Currently Amended) The system of claim 10, wherein each processor's state manager further notifies the master processor when short term operations are complete and long term ~~lived~~ operations are halted.

12. (Currently Amended) The system of claim 11, wherein the master processor further reconfigures the virtualization layer after notification is received from each processor's state manager that short term operations are complete and long term ~~lived~~ operations are halted.

13. (Original) The system of claim 9, wherein the virtualization database is distributed across more than one processor in the virtualization layer.

14. (Currently Amended) A system for dynamically updating storage associated with a host, comprising:

means for configuring a virtualization layer to interface between the host and at least one storage device wherein the virtualization layer defines at least one virtual volume comprising objects defining a mapping from the at least one virtual volume to data in the at least one storage device;

means for storing information about a state of a the at least one storage device ~~corresponding to the host~~ in a virtualization database;

means for receiving data about a new state of the at least one storage device ~~corresponding to the host~~;

means for updating the virtualization database with the data about the new state of the at least one storage device; and

means for updating the mapping contained in the objects ~~comprising the virtual volume~~ based on the data about the new state of the at least one storage device.

15. (Original) The system of claim 14, wherein the virtualization database is distributed across more than one processor in the virtualization layer.

16. (Currently Amended) The system of claim 14, wherein the ~~updating new state of the storage device~~ is responsive to the storage device becoming an available storage device.

17. (Currently Amended) The system of claim 14, wherein the ~~updating new state of the storage device~~ is responsive to the storage device becoming an unavailable storage device.

18. (Currently Amended) The system of claim 17, further comprising:
means for reconfiguring the virtualization layer after the mapping has been updated to form a reconfigured virtualization layer, wherein the reconfigured virtualization layer does not interface with the unavailable storage device.

19. (Currently Amended) The system of claim 16, further comprising:
means for reconfiguring the virtualization layer after the mapping has been updated to form a reconfigured virtualization layer, wherein the reconfigured virtualization layer interfaces with the available storage device.

20. (Currently Amended) A computer-readable medium containing code for directing a processor to perform a method for dynamically updating storage associated with a host, the method comprising:

configuring a virtualization layer to interface between the host and at least one storage device wherein the virtualization layer defines at least one virtual volume comprising objects defining a mapping from the virtual volume to data in the at least one storage device;

storing information about a state of a the at least one storage device ~~corresponding to the host~~ in a virtualization database;

receiving data about a new state of the at least one storage device ~~corresponding to the host~~;

updating the virtualization database with the data about the new state of the at least one storage device; and

updating the mapping contained in the objects ~~comprising the virtual volume~~ based on the data about the new state of the at least one storage device.

21. (Currently Amended) The computer-readable medium of claim 20, wherein the virtualization database is distributed across more than one processor in the virtualization layer.

22. (Currently Amended) The computer-readable medium of claim 20, wherein the ~~updating new state of the storage device~~ is responsive to the storage device becoming an available storage device.

23. (Currently Amended) The computer-readable medium of claim 20, wherein the ~~updating new state of the storage device~~ is responsive to the storage device becoming an unavailable storage device.

24. (Currently Amended) The computer-readable medium of claim 23, the method further comprising:

reconfiguring the virtualization layer to form a reconfigured virtualization layer after the mapping has been updated, wherein the reconfigured virtualization layer does not interface with the unavailable storage device.

25. (Currently Amended) The computer-readable medium of claim 22, the method further comprising:

reconfiguring the virtualization layer to form a reconfigured virtualization layer after the mapping has been updated, wherein the reconfigured virtualization layer interfaces with the available storage device.